

**PCT**WORLD INTELLECTUAL PROPERTY ORGANIZATION  
International Bureau


## INTERNATIONAL APPLICATION PUBLISHED UNDER THE PATENT COOPERATION TREATY (PCT)

(51) International Patent Classification 6 : <b>G07G 1/12</b>		(11) International Publication Number: <b>WO 97/13229</b>
<b>A1</b>		(43) International Publication Date: 10 April 1997 (10.04.97)
(21) International Application Number: PCT/US96/16016		(81) Designated States: AL, AM, AT, AU, AZ, BB, BG, BR, BY, CA, CH, CN, CZ, DE, DK, EE, ES, FI, GB, GE, HU, IL, IS, JP, KE, KG, KP, KR, KZ, LK, LR, LS, LT, LU, LV, MD, MG, MK, MN, MW, MX, NO, NZ, PL, PT, RO, RU, SD, SE, SG, SI, SK, TJ, TM, TR, TT, UA, UG, UZ, VN, ARIPO patent (KE, LS, MW, SD, SZ, UG), Eurasian patent (AM, AZ, BY, KG, KZ, MD, RU, TJ, TM), European patent (AT, BE, CH, DE, DK, ES, FI, FR, GB, GR, IE, IT, LU, MC, NL, PT, SE), OAPI patent (BF, BJ, CF, CG, CI, CM, GA, GN, ML, MR, NE, SN, TD, TG).
(22) International Filing Date: 4 October 1996 (04.10.96)		
(30) Priority Data: 9520463.2 6 October 1995 (06.10.95) GB		
(71) Applicant: SENSORMATIC ELECTRONICS CORPORATION [US/US]; 951 Yamato Road, Boca Raton, FL 33431-0700 (US).		
(72) Inventor: GREEN, Graham, Martyn; 18 Stonehill Close, Hillside Park, Appleton, Warrington, Cheshire WA4 5QD (GB).		
(74) Agent: TORRENTE, John, J.; Robin, Blecker, Daley & Driscoll, 330 Madison Avenue, New York, NY 10017-5001 (US).		Published With international search report.

(54) Title: COLOR-CATEGORIZED POS STATION CLERK PERFORMANCE EVALUATION SYSTEMS AND METHODS

## (57) Abstract

A method for use in evaluating performance of participating POS station clerks (16-22) comprises the steps of categorizing the POS station clerks into groups in accordance with various categorizing criteria, selecting visible display characteristics (50) specific to each of the categories, providing a display of all participating POS station clerks (52) per their different identities, conforming the display (30) to evidence the selected visible display characteristics, storing transaction information from all participating POS station clerks with clerk identities, and displaying transaction information through user interaction with the conformed display.



Best Available Copy

**FOR THE PURPOSES OF INFORMATION ONLY**

Codes used to identify States party to the PCT on the front pages of pamphlets publishing international applications under the PCT.

AM	Armenia	GB	United Kingdom	MW	Malawi
AT	Austria	GE	Georgia	MX	Mexico
AU	Australia	GN	Guinea	NE	Niger
BB	Barbados	GR	Greece	NL	Netherlands
BE	Belgium	HU	Hungary	NO	Norway
BF	Burkina Faso	IE	Ireland	NZ	New Zealand
BG	Bulgaria	IT	Italy	PL	Poland
BJ	Benin	JP	Japan	PT	Portugal
BR	Brazil	KE	Kenya	RO	Romania
BY	Belarus	KG	Kyrgyzstan	RU	Russian Federation
CA	Canada	KP	Democratic People's Republic of Korea	SD	Sudan
CF	Central African Republic	KR	Republic of Korea	SE	Sweden
CG	Congo	KZ	Kazakhstan	SG	Singapore
CH	Switzerland	LI	Liechtenstein	SI	Slovenia
CI	Côte d'Ivoire	LK	Sri Lanka	SK	Slovakia
CM	Cameroon	LR	Liberia	SN	Senegal
CN	China	LT	Lithuania	SZ	Swaziland
CS	Czechoslovakia	LU	Luxembourg	TD	Chad
CZ	Czech Republic	LV	Latvia	TG	Togo
DE	Germany	MC	Monaco	TJ	Tajikistan
DK	Denmark	MD	Republic of Moldova	TT	Trinidad and Tobago
EE	Estonia	MG	Madagascar	UA	Ukraine
ES	Spain	ML	Mali	UG	Uganda
FI	Finland	MN	Mongolia	US	United States of America
FR	France	MR	Mauritania	UZ	Uzbekistan
GA	Gabon			VN	Viet Nam

COLOR-CATEGORIZED POS STATION CLERK PERFORMANCE  
EVALUATION SYSTEMS AND METHODS

Field of the Invention

This invention relates generally to so-called "POS" (Point of Sale) systems, such as are found in retail facilities, and pertains more particularly to clerk performance evaluation systems and methods for use in connection with POS stations.

Background of the Invention

It is customary in current day retailing practices, to have checkout counters at the exit of a facility, each equipped with a clerk-controlled POS station effecting checkout of articles through bar code scanning, retrieval of article price from a storage unit containing article price cross-correlated with article bar code, display of each article checkout to a customer, selected article price totalization and providing the customer with a printout of the customer's transaction in purchasing articles.

Transaction information is typically transmitted from each POS station to a parent level computer for storing the same for inventory and clerk critique purposes. The critique parameters, implemented by a supervisory person assigned to this purpose at the parent level computer, include such concerns as the facility may have for efficiency of the clerk, attributable to low transactional volume with time, clerk fraud, etc.

Presently-known clerk evaluation practices at the parent level computer for purposes of clerk evaluation are seen as quite labor-intensive for the evaluator, typically involving examining printouts of evaluation level stored data per individual participating POS station.

Summary of the Invention

The present invention has as its primary object the provision of enhanced systems and methods for clerk evaluation in plural station POS arrangements.

A more particular object of the invention is to afford an evaluator at the host computer more efficiency by permitting levels of categorization and concurrency in POS

station clerk evaluation.

In attaining the foregoing and other objects, the invention provides a method for use in evaluating performance of participating POS station clerks comprising the steps of  
5 categorizing the POS station clerks into groups in accordance with various categorizing criteria, selecting visible display characteristics specific to each of the categories, providing a display of all participating POS station clerks per their different identities, conforming the display to evidence the  
10 selected visible display characteristics, storing transaction information from all participating POS stations with clerk identities, and displaying transaction information through user interaction with the conformed display.

In one particular practice of the method, the clerk  
15 identities may comprise their respective names and the first, unconformed display is on a screen of a tabular presentation of the clerks' names at the evaluation level. The display includes also a display of a plurality of colors, assignable to the clerks' names by selecting colors and causing the  
20 clerks' names to be displayed against the color as a background for the names. One categorization practice might be to categorize clerks on the basis of their years of experience, in which case, the display conforming step would, e.g., assign the color red to clerks with ten or more years  
25 of experience, the color gray to those with five or more years of experience, the color blue to those with less than one year of experience, etc. The display conforming step would so assign the colors, evidently to more than one clerk as the categorization requires.

30 The color assignments would be cross-correlated with the clerks' identification in a digital storage lookup table, as would the respective clerks' performance information. The evaluator then interacts with the conformed display on a color base, i.e., to inspect performance of ten year  
35 employees, the evaluator simply selects red display areas from the conformed display.

Another base for categorization would be clerk fraud. Here, the respective gradations of propensity to fraud per

clerks may be likewise color-coordinated in the conformed display. To inspect the performance of a group of clerks having high fraud propensity would call for the evaluator to interact with the conformed display in respect only of the color assigned to the high clerk fraud propensity grouping.

As will be appreciated, the POS station clerk evaluation so described is but an example of the color-coordinated information retrieval practice of the invention.

Systems implementing the foregoing methods are set forth hereinafter.

The foregoing and other objects and features of the invention will be further understood from the following detailed description thereof and from the drawings, wherein like components are identified by common reference numerals throughout.

#### Description of the Drawings

Fig. 1 is a functional block diagram of a system in accordance with the invention.

Fig. 2 is a flowchart of a method implemented by the Fig. 1 system in accordance with the invention.

Fig. 3 is a showing of a video screen presentation in accordance with the invention.

#### Detailed Description of Preferred Practices and Embodiments

Referring to Fig. 1, system 10 includes a POS level 12, having a plurality of POS stations, shown as POS STA1, POS STA2, POS STA3 and POS STAN. The output data of the POS stations, inclusive of transaction data and clerk identification, is furnished to parent computer level 14 over lines 16, 18, 20 and 22, which are bidirectional lines, affording selective interrogation by parent computer level 14 of POS level 12.

Parent computer level 14 includes CLERK ID AND DATA MEMORY 24, CPU 26, display unit 28, DISPLAY CONFORMER 30 and DISPLAY DRIVER 32.

Memory 24 is selectively read by CPU 26 by control CPU input furnished on lines 34 and furnishes clerk identification (ID) data to CPU 26 over lines 36 and POS transaction data to CPU 26 over lines 38.

CPU 26 controls display conformer 30 by input thereto on lines 40 and controls display driver 32 by input thereto on lines 42. Display conformer 30 provides input to display driver 32 over lines 44 and display driver 32 provides input  
5 to display unit 28 over lines 46.

CPU 26 provides input to and receives input from display unit 28 over lines 48. Display unit 28 has an upper, horizontal display section 50, which is shown as including individual display parts A, B, C, D, E, F and G, and has a  
10 lower, vertical display section 52, which is shown as including individual display parts CLERK 1, CLERK 2, CLERK 3 and CLERK N.

In operation of system 10, CPU 26 undertakes outset set up activity in presenting diverse colors in display parts A-G  
15 of display section 50 and maintains such display throughout system activity. In this respect, the CPU accordingly provides video and color signals to display driver 32 which accordingly controls display section 50 by signals continuously furnished over lines 46.

20 In system usage, CPU 26 directs the POS stations to transmit clerk identification and transaction information to memory 24 and the memory stores the transaction information cross-correlated with the clerk identification information. CPU 26 first reads the identification information from the  
25 memory and presents the same in display section 52, again by signals furnished from display driver 32 over lines 46. While but four participating POS stations are shown, the system looks to scrolling as desired for showing additional POS stations.

30 Operator or user interaction with display sections 50 and 52 involves use of an icon, e.g., a displayed paintbrush, which is movable by arrow keys or a mouse, into selected registry with any of colors A-G, whereupon an ENTER or double-mouse-click informs CPU 26 of user color choice.  
35 Assuming the choice to be the color corresponding to color C, the CPU takes the color C to be the immediately operative color for display conformance and so advises display conformer by input over lines 40. The CPU thereupon awaits

clerk assignment by the user to the selected color. The user now moves the icon into registry with one or more of the displayed clerks, as desired, which are to be categorized with the color C. Assuming the user to so designate CLERK 1  
5 AND CLERK 3, the CPU is so informed, again by moving the icon into registry with these display areas and an ENTER or double-mouse-click informs CPU 26 of user of the user designations. CPU 26 accordingly further advises display conformer 30 of the display locations of display section 52  
10 which are involved and the display conformer accordingly directs display driver 32 to "paint" CLERK 1 and CLERK 3 with the color C. Other color assignments are likewise made for the remaining participating POS stations.

CPU 26 thereafter responds to further icon movement to  
15 any given area of display section 52 and, e.g., single-mouse-clicking on the given area, to provide a display, in substitution for that of Fig. 1, of all POS transactional information relating to participating clerks having color assignments common with that of the given area.  
20 Alternatively, the Fig. 1 display may remain in place and a suitable printout may be made of such transactional information and clerk identities for the color category.

The method implemented in the Fig. 1 system, as above discussed, will be seen to involve the steps set forth in  
25 Fig. 2. Referring thereto, step S1, CATEGORIZE POS CLERKS INTO GROUPS IN ACCORDANCE WITH CATEGORIZING CRITERIA, and step S2, SELECT VISIBLE DISPLAY CHARACTERISTICS SPECIFIC TO EACH OF THE CATEGORIES, are implemented by the user performing color selection and identifying groupings of  
30 participating POS clerks in respective different categories.

In step S3, which is practiced prior to steps S1 and S2, DISPLAY PARTICIPATING POS CLERKS PER RESPECTIVE DIFFERENT IDENTIFYING INDICIA, the CPU provides the outset and continuous display of clerk participants with respective  
35 identifications.

In step S4, CONFORM DISPLAY TO EVIDENCE SELECTED VISIBLE DISPLAY CHARACTERISTICS, the CPU operates display conformer 30, as above described, providing it with color and area

definitions.

Step S5, STORE TRANSACTION INFORMATION FROM PARTICIPATING POS CLERKS CROSS-CORRELATED WITH IDENTIFYING INDICIA, is likewise practiced as an outset step, prior to  
5 steps S1, S2 and S4.

In step S6, DISPLAY POS TRANSACTION INFORMATION THROUGH USER INTERACTION WITH CONFORMED DISPLAY, the CPU effects the above-noted display (or printing) in accordance with user single-mouse-clicking on any given display area with  
10 resulting display or printing of transaction information specific to POS clerks in the selected color category.

Fig. 3 shows a video screen presentation of the invention wherein the clerks are identified by operator name, operator number and assigned color. In a preferred graphics  
15 arrangement, the invention contemplates that the available colors be depicted as paint cans above the Fig. 3 display, and that the icon, during color selection and clerk categorization, is a paintbrush (not shown) and that the selected paint can will tip toward the user and spill an  
20 amount of the color thereof onto the paint brush, and that the paint-filled brush will then be moved into registry with the displayed clerks to paint them as desired.

Various changes to the particularly disclosed apparatus, systems and practices may evidently be introduced without  
25 departing from the invention. For example, diverse shadings in display presentation may evidently be used in lieu of different colors. Accordingly, it is to be appreciated that the particularly discussed and depicted preferred embodiments and practices of the invention are intended in an  
30 illustrative and not in a limiting sense. The true spirit and scope of the invention are set forth in the ensuing claims.



## WHAT IS CLAIMED IS:

1. A method for use in evaluating performance of participating POS station clerks comprising the steps of:

- (a) categorizing the POS station clerks into groups  
5 in accordance with various categorizing criteria;
- (b) selecting visible display characteristics specific to each of the categories;
- (c) providing a display of all participating POS station clerks per respective different identifying indicia  
10 thereof;
- (d) conforming the display to evidence the selected visible display characteristics;
- (e) storing transaction information from all participating POS stations cross-correlated with the  
15 different clerk identifying indicia thereof; and
- (f) displaying POS transaction information through user interaction with the conformed display.

2. The method claimed in claim 1, wherein said visible display characteristics are selected to be respective  
20 different colors.

3. The method claimed in claim 1, wherein said visible display characteristics are selected to be respective different shadings.

4. The method claimed in claim 1, wherein said step of  
25 providing a display of all participating POS station clerks per respective different identifying indicia thereof is practiced by displaying the names of clerks.

5. The method claimed in claim 4, wherein said step of categorizing the POS station clerks into groups in accordance  
30 with various categorizing criteria is practiced by providing categories indicative of respective different years of experience of the clerks.

6. The method claimed in claim 4, wherein said step of categorizing the POS station clerks into groups in accordance  
35 with various categorizing criteria is practiced by providing categories indicative of respective propensities toward fraudulent conduct of the clerks.

7. The method claimed in claim 1, wherein said step of

selecting visible display characteristics specific to each of the categories is practiced by displaying the characteristics in common on a screen and selecting display characteristics from the screen.

- 5           8. The method claimed in claim 1, wherein said step of providing a display of all participating POS station clerks per respective different identifying indicia thereof is practiced by displaying the names of clerks in a first portion of a screen and wherein said step of selecting  
10 visible display characteristics specific to each of the categories is practiced in part by displaying the characteristics in common on a second portion of the screen differently located from the first screen portion.

9. The method claimed in claim 8, wherein said step of  
15 selecting visible display characteristics specific to each of the categories is practiced in further part by selecting display characteristics from the screen.

10. The method claimed in claim 8, wherein said first screen portion is a generally central screen portion and  
20 wherein said second screen portion is a marginal area of said screen.

11. The method claimed in claim 9, wherein said first screen portion is a generally central screen portion and wherein said second screen portion is a marginal area of said  
25 screen.

12. The method claimed in claim 7, wherein said step of selecting display characteristics from the screen is practiced by providing a movable icon on the screen and moving said icon into registry with said display  
30 characteristics.

13. The method claimed in claim 12, wherein said step of conforming the display to evidence the selected visible display characteristics is practiced by moving said icon into registry with the displayed participating POS station clerks.

- 35           14. The method claimed in claim 12, wherein display of said display characteristics is effected by presentation of images of paint cans and visually presenting respectively different colors on said displayed paint cans.

1/3





FIG. 1

2/3

*FIG. 2*




FIG. 3

## INTERNATIONAL SEARCH REPORT

International application No.  
PCT/US96/16016**A. CLASSIFICATION OF SUBJECT MATTER**

IPC(6) : G07G 1/12

US CL : 364/401, 402, 405; 395/600

According to International Patent Classification (IPC) or to both national classification and IPC

**B. FIELDS SEARCHED**

Minimum documentation searched (classification system followed by classification symbols)

U.S. : 364/401, 402, 405; 395/600; 235/383

Documentation searched other than minimum documentation to the extent that such documents are included in the fields searched

Electronic data base consulted during the international search (name of data base and, where practicable, search terms used)

**C. DOCUMENTS CONSIDERED TO BE RELEVANT**

Category*	Citation of document, with indication, where appropriate, of the relevant passages	Relevant to claim No.
Y,P	US, A, 5,510,979 (MODERI et al.) 23 April 1996, col. 1, lines 54-59, col. 2, lines 22-26, col 3., lines 48-67.	1, 4, 7, 10, 13
Y,E	US, A, 5,256,863 (FERGUSON et al.) 26 October 1996, col. 2, lines 28-35	6
Y,P	US, A, 5,454,104 (STEIDLMEYER et al.) 26 September 1996, col. 4, lines 59-67.	3-4

☐ Further documents are listed in the continuation of Box C. ☐ See patent family annex.

* Special categories of cited documents:	"T" later document published after the international filing date or priority date and not in conflict with the application but cited to understand the principle or theory underlying the invention
"A" document defining the general state of the art which is not considered to be of particular relevance	"X" document of particular relevance; the claimed invention cannot be considered novel or cannot be considered to involve an inventive step when the document is taken alone
"E" earlier document published on or after the international filing date	"Y" document of particular relevance; the claimed invention cannot be considered to involve an inventive step when the document is combined with one or more other such documents, such combination being obvious to a person skilled in the art
"L" document which may throw doubts on priority claim(s) or which is cited to establish the publication date of another citation or other special reason (as specified)	"A" document member of the same patent family
"O" document referring to an oral disclosure, use, exhibition or other means	
"P" document published prior to the international filing date but later than the priority date claimed	

Date of the actual completion of the international search

24 NOVEMBER 1996

Date of mailing of the international search report

27 DEC 1996

Name and mailing address of the ISA/US  
Commissioner of Patents and Trademarks  
Box PCT  
Washington, D.C. 20231Authorized officer  
Gail Hayes

Facsimile No. (703) 305-3230

Telephone No. (703) 305-9711

**This Page is Inserted by IFW Indexing and Scanning  
Operations and is not part of the Official Record**

**BEST AVAILABLE IMAGES**

Defective images within this document are accurate representations of the original documents submitted by the applicant.

Defects in the images include but are not limited to the items checked:

- ☐ BLACK BORDERS
- ☐ IMAGE CUT OFF AT TOP, BOTTOM OR SIDES
- ☒ FADED TEXT OR DRAWING
- ☐ BLURRED OR ILLEGIBLE TEXT OR DRAWING
- ☐ SKEWED/SLANTED IMAGES
- ☐ COLOR OR BLACK AND WHITE PHOTOGRAPHS
- ☐ GRAY SCALE DOCUMENTS
- ☐ LINES OR MARKS ON ORIGINAL DOCUMENT
- ☐ REFERENCE(S) OR EXHIBIT(S) SUBMITTED ARE POOR QUALITY
- ☐ OTHER: \_\_\_\_\_

**IMAGES ARE BEST AVAILABLE COPY.**

**As rescanning these documents will not correct the image problems checked, please do not report these problems to the IFW Image Problem Mailbox.**